SE-SE6007

60 ZONE WALK THROUGH METAL DETECTOR



FEATURED PRODUCTS


- Accurate Pinpointing the Multiple Metal Targets
- Unmatched Anti-interference Performance
- Real-time Monitoring for Environmental Interface
- Full-module Design for Easy and Rapid Assembly
- Bi-directional Detection and Counter
- Password Protection Operated
- High Discrimination and Throughput
- Rich Practical Optional Features for Your Selection

DGate SE-SE6007 features 60 pinpoint zones. Specifically designed for ultra-high sensitivity applications, such as government building and industrial loss prevention. Provides pinpointing of individual and multiple metal targets and visually indicates the location and number of possible threat objects.

SE-SE6007 Walk Through Metal Detector

PARAMETERS

Detection Zones:	60 (20vertical x 3lateral)
Weather-proof Level:	IP65
Sensitivity Level:	500 grades (adjustable)
Distinct Sensitivity Level:	1000 grades (adjustable)
Security Detection Program:	60(built-in)
Pass through Rate:	0.4m/s~1.2m/s
Working Frequency Range:	1~99 bands
Net Weight:	58kg
Vertical Channel Size:	2010(H) x 760(W)mm
Vertical Dimension:	2210(H) x 860(W) x 670(D)mm
Power Consumption:	<20 W
Working Voltage:	100~240VAC, 50~60 Hz
Working Environment Temperature:	-10℃-+45℃



APPLICATION

Accurate Detection

▸Has 60 horizontal zones with individually 1000 grades adjustable sensitivity.
▸Capable of detecting a wide range of threat metal objects, even for a coin, when someone pass, the positions of the weapons on the person will be indicated by means of illuminated LEDs on both sides of panels. It can detect simultaneously more than three metals in different parts of body.

Superior Design & Construction

▸Completely Modular for quick installation.
▸Overhead control unit with 7-inch LCD capacitive touch screen
▸Traffic pacing stop and go lights
▸The overall system is characterized by sturdy, reliable electronic and mechanical construction.

60 Built-in Security Detection Programs


▸It is not easier to set the accurate security levels, users can choose directly from the known 60 embedded security standards by the use of a range of possible sensitivity settings.

Interface Suppression

▸99 adjustable working frequency to adjust to immunity the potential effects from x-ray device, radio and other electrical interface sources.
▸Allows several units to be placed in close proximity (50 cm) to one another.

Audible and Visual Alarms & Acoustic Alarm Signaling System

▸Audible alarm and visual LED lights signal when a target has been detected.
▸Provide ability to randomly alarm on a selected range of 16 tones intensity levels. The wide 10 volume control dynamic allows operation even in very noisy environment. (also support silent mode)



60 Localization Zones
(20 vertical x 3 lateral)
with left, center and right indication

SE-SE6007 Walk Through Metal Detector

Audible and Visual Alarms & Acoustic Alarm Signaling System

▸Audible alarm and visual LED lights signal when a target has been detected.
▸Provide ability to randomly alarm on a selected range of 16 tones intensity levels. The wide 10 volume control dynamic allows operation even in very noisy environment. (also support silent mode)

ACCESSORIES

Stainless Steel Deck Dolly

Removable wheels for easily portability It is applicable to all detectors in today market.
Load-bearing: 150kg

Part# SE-WT001



Crossbar Battery Back-up

Long life crossbar battery back-up in stainless steel case.
Support 6h, 12h, 24h of autonomous working time to choose.

Part# SE-WT002



PC Network for Software System Control

(wire or wireless)
RS-485, Ethernet interface, with USB converter for simple connection. Transit statistical data analysis via wire /wireless, managing data from multi detectors.


Part# SE-WT003



Metal Detector Divesting Slope Table

To collect and manage the personal metal Belongings (phone, key, baldric, etc.) when in transit, so that it can avoid false alarm.

Part# SE-WT004



Integrated Turnstile for Access Control

Integrated the turnstile into the detectors, when detector alarms, turnstile closes, no entry, otherwise, turnstile opens, allow access.

Part# SE-WT005



Multifunctional Camera (Night Vision)

▸720P/1080FHD/1296P Resolution
▸TF card storage
▸145 wide-angle lens
▸Support multi-language

Part#: SE-WT007

